

Product code: LM227 AUT PE





Critical fall height(CFH) A1: CFH 1.0m - 7.4m² A2: CFH 1.2m - 3.41m² A3: CFH 1.55m - 37.12m² Rubber surface area - 47.93m² Total area: 47.93m²



Technical information

Safety area width	6.13 m
Safety area length	11 m
Width of structure	3.1 m
Length of structure	7.51 m
Height of structure	3.66 m
Max. fall height	1.55 m
Recommended age of children	4+
For simultaneous use by several children	5-10

Product consists of	
Platforms	2 pcs with a height 1.55 m Laminated wood
Platforms	1 pcs with a height 1.2 m Laminated wood
Roofs	2 pcs HDPE plastic
Slides	1 pcs with a height 1.55 m Stainless-steel, HDPE plastic sides
Climbing walls	2 pcs HDPE plastic
Climbing nets	1 pcs 16 mm six-strand PES cover braided steel ropes
Bridges	1 pcs
Fireman poles	1 pcs Galvanized and powder-coated steel
Play corners	1 pcs Plastic and wood
Activity panels	3 pcs HDPE plastic
Posts	14 pcs Laminated wood
Panels/Plates	4 pcs HDPE plastic
Grips for hands and/ or feet	4 pcs HDPE plastic
Tubes	15 pcs Galvanized and powder coated steel

Installation info

Installers	2
Installation time	16 h
Volume of concrete	25 bags (25kg)
Package dimensions	3,1x1,1x1,7m

The product's painted profile posts made of laminated timber are concreted into the ground using hot-galvanized metal tubular fittings.

A play centre with three platforms, a slide and climbing walls. A small ladder leads to the first platform. A balance bridge with handrails and moving steps leads to the next platform, where a fireman? sole offers a way down. The third platform comes with a slide that leads down. An attached climbing complex with net walls, climbing ropes and a rock climbing wall help kids practice climbing and balancing skills. A Tic-Tac-Toe game, binoculars, a captain? shelm and a play corner with car dashboard elements promote active play. The side panels of the play centre can be switched for various activity walls or thematic printed panels (animals, birds, fish, trees, berries, etc.). The design of the panels will be finalised with the client during ordering.